



VitaLipo Lipase

Maximize the value
of feed energy



THX SPRING BIOTECHNOLOGY CO; LTD

2908 BEICHENG INTL, NO. 88 LONGHUA AVE, YUBEI DIST, CHONGQING, CHINA


www.thxspring.com | thx@thxspring.com

Lipid

IMPORTANCE

As a crucial component of livestock and poultry feed, lipid serves as important energy for animal body whose energy value is about 2.25 times than that of carbohydrates.


The Metabolic Energy of Different Ingredient (MJ/kg)




THE PROBLEM OF LIPID UTILIZATION




Effect of dietary oil supplemental level on crude fat digestibility



Lipase activity in small intestine of broilers on 21 day (U/g)




Lipase activity in small intestine of broilers on 49 day (U/g)





VITALIPO

- High activity retention rate and enzymatic efficiency in animal gastrointestinal





- VitaLipo can efficiently degrade lipid and increase the digestibility of nutrient




APPLICATION RESEARCH

- Effects on the Performance of Broilers at 1~42 Day-age





NOTE: NC = PC-50kcal/kg diet, NC+200 = NC+200g/T VitaLipo

● Effects of Dietary VitaLipo Supplementation on Growth Performance of Broilers



NOTE: NC = PC-100kcal/kg diet, NC+150 = NC+150g/T VitaLipo, NC+300 = NC+300g/T VitaLipo

THE SOLUTION WE HAVE



Maximize the value of feed energy

Mature VitaLipo application solutions for stable performance in feed production and breeding.

- 100g Vitalipo replaces 3–5kg oil, saving feed costs effectively
- 200g Vitalipo replaces 5–8kg oil, maximizing feed cost saving

SPECIFICATION & USAGE

Name	VitaLipo
Type	Granule
Activity	20,000
Usage	100-300g/T in complete feed

PACKAGE & STORAGE

Package	25 kg/ bag
Shelf Life	12 Months
Storage	Below 25°C, avoid direct sunlight, rain, high temperature & humidity

